



However you enjoy the great outdoors

solo or with a group, on an easy walking route, across challenging terrain or family camping, in the UK or around the world – the new GoSystem range of stoves and cookware, lanterns, gas cartridges and fuel bottles, will enable you to provide hot food & drinks, day or night, quickly! Quality, performance and value in action.



page

stoves

4



Expedition

Stoves designed for use in the harshest and most challenging situations, and to provide flexibility of fuels. Whether on the mountain ledge or at base camp the multi-fuel stoves burn liquid or gas, and the Base Camp provides volume capability.

5



Trekking

Stoves that are compact, powerful and lightweight, with economical gas use too. This minimises the weight and pack size when every gram and millimetre counts.

6



Backpacking

Great stoves for those shorter trips; compact, lighter weight (all under 200gms), or when simplicity in use is the ideal.

7



Family

This concise range of stoves with single, dual or triple burners will meet the personal and family needs when space and weight are an issue.

cookware & accessories

8-9



Whether your choice is solo, group or family, each set packs away neatly for easy carrying and storage.

9



fuel

Specially formulated Butane, Propane and Iso-Butane gas mixture enhances cold weather performance. All cartridges, filled in the Go Gas KP Aerofil fully automated plant, meet the demanding European EN417 standard, and threaded cartridges use the legally required double skinned valves.

10




lanterns & accessories

Wherever you need it, each style will be the bright star of the evening.



takes you anywhere

reliable, lightweight, transportable



key to icons

for technical information - see inside back cover




3 year warranty




Double skinned valve:
EN417




Auto start ignition




Serrated pan supports
for additional pan security




Boiling time




Continuous burn



Includes Fuel Bottle



Weight



Light output



Expedition Stoves

Designed with every expedition in mind, being lightweight and reliable even under the most demanding weather conditions

KEY TO SYMBOLS



Piezo Auto-start



Windshield




Folding

GS4000 Gemini Extreme



Powerful performance multi-fuel stove that comes complete with robust pump, with non-return valve and 0.5 ltr Fuel Bottle, and is equally at home burning a variety of liquid fuels as well as gas from a remote GoSystem EN417 gas cartridge, all through the same jet. A sharp agitation of the stove cleans the jet and ensures that the heating tube (generator) works efficiently & performance maintained. It features precision flame control & burner protecting windshield. The linked fold in serrated pan supports & legs and easily coiled braided hose enable the stove to be "packed away" for transportation. Comes complete with maintenance kit and carry/storage stuff sack.




GS5000 Base Camp



Telescopic legs fold down minimising storage space

COMPACT SIZE: (w) 160 x (d) 145 x (h) 180mm
EXTENDED SIZE: (w) 250 x (d) 230 x (h) 380mm


This stove is designed to provide a base camp, volume cooking facility and by size and power handle pots of more than 30cm diameter. It is fired by a directly attached GoSystem EN417 cartridge, and has Piezo Auto-Start ignition, with precision flame control & burner protecting windshield. The stainless steel and alloy telescopic legs are individually adjustable, ideal on uneven terrain, and fold up to create an easily transportable unit. Comes complete with carry/storage stuff sack.



GS2116 Apollo Ti



An ultra light, ultra powerful, ultra compact stove burns vapour and liquid gas via a remote GoSystem EN417 gas cartridge. This Titanium stove features precision flame control & burner protecting windshield. The linked serrated pan supports and legs fold in and along with the easily coiled braided hose create an easily "packed away" unit ready for transportation. Comes complete with carry/storage stuff sack.



GS2115 Fly Ti



It's all about weight and performance! Weight reduced to 48gms for 2011, but retains a powerful burner with precision flame control, this Classic Cartridge stove operates directly from a GoSystem EN417 cartridge. Its economical consumption assures minimum weight carry wherever you travel. Comes complete with carry/storage stuff sack.




GS2114 Scion



small and compact folding head mechanism


Sits in the palm of your hand! The secure folding mechanism ensures minimum pack size with a giant performance. This Classic Cartridge stove, with precision flame control operates directly from a GoSystem EN417 gas cartridge. Comes complete with carry/storage stuff sack.



GS2106 Sirocco




Wide footprint stove complete with separate windshield, it features a powerful burner with precision flame control & Piezo Auto-start ignition Operates through a braided hose from remote GoSystem EN417 gas cartridge, and folds away to create a compact unit for transportation. Comes complete with carry/storage stuff sack.



GS2104 Venture



With a large, powerful burner, precision flame control and extendable, serrated pan supports, this Classic Cartridge stove with Piezo Auto-start ignition operates directly from a GoSystem EN417 gas cartridge. The supports enable larger pots to be used whilst still folding for compact easy transportation. Comes complete with carry/storage sack




Lightweight, compact and powerful,
an ideal travel companion

Backpacking Stoves

GS2333 Tri Spi




This compact, wide legged, performance stove with precision flame control and Piezo Auto-start ignition operates through a braided hose from a remote GoSystem EN417 gas cartridge. It provides a superb mix of carrying compactness, lightweight, high stability and superb performance. Comes complete with carry/storage stuff sack.




GS2013 Rapid Stove



A simple cartridge stove, with easy operation and maintenance. Operates directly from a GoSystem EN417 cartridge and is suitable for high mountains, withstanding strong winds because of the baffle on the spray head. Comes complete with carry/storage stuff sack.



GS2000 Adapt




Designed specifically to clip into spirit non-pressured stoves, this unit will burn vapour or liquid gas due to its pre-heater tube (generator). It connects to a remote GoSystem EN417 gas cartridge through a braided hose and in conjunction with its precision flame control, has a performance way beyond its size. The unit packs away into the stove/cook set.

GS2210 Dynasty Compact



Supplied with its own carry case, this single burner stove operates from a "click in" bayonet cartridge. It has wide ranging flame control and Piezo Auto-start ignition. The burner area is easily cleaned.



Family Stoves

Single, dual and triple burner stoves for personal and family use.

GS2300 Dynasty Trio



A double hob and Grille/Toaster with tray, is, when folded, one of the slimmest family cookers we have seen. Both hobs have Piezo Auto-start ignition and the burner unit is cantilevered from the base of the case. The base of the case acts as the drip tray and has simple access to facilitate cleaning. Can be used with either EN417 gas cartridge or larger gas bottles via a regulator.

Keramos Cookware

Unique to GoSystem, Keramos Cookware features X-Pride – the world's best and the most resilient eco-natural nonstick stone/ceramic coating. X-Pride is derived from natural inorganic minerals, is PTFE and PFOA free and is approved by US FDA (US Food and Drug Administration).

Benefits of XPRIDE Coating:

1. Non-pollutant coating agent

Uses highly purified natural mineral (ceramic) and does not contain heavy metals, and VOC (inorganic chemical). It also does not emit Teflon's PFOA, a substance that is becoming a global pollutant issue.

2. Hard coating surface

The coating surface is nearly 6 times harder than previous products and extremely durable and long lasting. Metal utensils are also used on the coating.

3. Easy to Clean

Any burnt food residue is very easily washed off with water. The coating layer is not damaged even when "Steel Wool" or any harsh scrubbing pad is used.

4. Antibiotic properties

X-Pride prevents growth of fungus and bacteria and inhibits adhesion of foreign objects for a clean maintenance for a long period of time

GST222 Keramos 3

new



The Keramos 3 set comes complete with 1.4L and 1.6L Pots, plus a Frying Pan which doubles as a lid, allowing the set to stack and pack for carrying. Each pan features rolled edges and the set is supplied with a pot lifter and mesh stuff sack.



GST107 Swift Kettle

This compact lightweight alloy aluminium kettle is made of advanced hard high intensity aluminium, which is fire resistant and wear-resistant, easy to clean, the folding handle is practical for storage and comfortable to use. Volume: 0.9L



GST200 Single Dome

Ultralight and versatile, anodised aluminium pan set with folding handles which stack and pack neatly into any back pack, whilst having the benefit of being able to pack a stove and gas canister inside for maximum space efficiency.



Dome Single (228g) consists of 1litre pot with 0.5 litre pan / lid, durable storage mesh bag & cleaning sponge.



Thermoware

Lightweight hard anodised aluminium pan sets with non-stick Teflon coating and internal volume guides. Grooved bases improve stability when in use as they minimise slippage on the serrated pan supports and reduce "spin" when stirring. Cooksets are stackable and packable with the frying pan able to double as a heat saving lid or as a food warmer on top of the 1.2 litre pan. All sets come complete with a frying pan, pot lifter and durable mesh bag.

GST103 Stainless Steel Mug

Simple stylish double walled insulated mug with lid. Folding handle allows for compact storage. Volume: 320ml



GST104 Folding Stainless Steel Cutlery Set

Easy to carry stainless steel folding cutlery set including fork, knife and spoon.



GST101 Thermoware 2

Unique to GoSystem, a lightweight and durable, hard anodised aluminium cook set, with 1.6L & 1.2L pans, with internal volume marks, and 0.8L Frying Pan/Lid, all Teflon® coated internally. Grooved bases prevent spinning and slipping when being stirred. Supplied in mesh stuff sack.



GST100 Thermoware 3

Unique to GoSystem, a lightweight and durable, hard anodised aluminium cook set, with 1.8L/1.6L/1.2L pans with internal volume marks, and 0.8L Frying Pan/Lid, all Teflon® coated internally. Grooved bases prevent spinning and slipping when being stirred. Supplied in mesh stuff sack

Gas cartridges & fuel bottles

Go Gas Ltd owns and operates a fully automated, state of the art, KP Aerofil gas filling plant. It is certified for filling and testing non-refillable gas cartridges to the European Standard EN417. All gas is a specially formulated premium mix of butane, propane and iso-butane, which enhances cold weather performance.

Go Gas Ltd ensures that all cartridges produced are fitted with a double skin safety valve, to the EN417 standard.

Go Gas Ltd also has a contract filling facility which is utilised by other brands within the industry.



G2125

125g Threaded Cartridge



G2250

220g Threaded Cartridge



G2500

445g Threaded Cartridge

G2190

190gm pierceable cartridge with 80/20 butane/propane mix (added propane for increased heat & power - effective to 10(o) C



G2220

Bayonet cartridge 220g butane.



GST108 Thermofuel 0.6L bottle GST109 Thermofuel 1.0L bottle

Both bottles are manufactured from extruded (seam free) aluminium. Stable interior coating to assist in preventing fuel corrosion. Screw top with gasket to prevent leaking.







Lanterns

Ultralight and versatile, anodised aluminium pan set with folding handles which stack and pack neatly into any back pack, whilst having the benefit of being able to pack a stove and gas canister inside for maximum space efficiency.




GS2122 Explorer Lite

Compact, lightweight lantern giving up to 80w light output, with Piezo Auto-start ignition. Secure connection directly to GoSystem EN417 gas cartridge. Straight "chimney" glass with easy access top clip and with hanging/carrying chain.



GS2120 Trek Lite

Classic lantern giving up to 80w light output, with Piezo Auto-start ignition. Secure connection directly to GoSystem EN417 gas cartridge. Diffused Schott straight sided globe, easy access non tarnish lid with carry handle.



Replacement parts



GSS002 Lite Globe 1

Diffused Schott light globe to fit Trek Lite and other manufacturers lanterns.
Weight 80gm.
Dimensions 80mmx80mmx80mm



GSS001 Lite Mantle

Universal soot free Mantles – pack of 3.
Weight 10gm each.
Dimensions 90mmx1mmx170mm each

Technical Information

Stoves/Lanterns/Gas

		1 Boil Time (0.5 Litre)	Boil Time (1 Litre)	Weight (g)	2 Ignition Type	Consumption (grams used per hour)	3 Continuous Burn Time (220g can)	Light Output	Appliance Dimensions (width mm x depth mm x height mm)	Power Watts	Power BTUs	Globe Spare
EXPEDITION STOVES												
GS5000	Basecamp	2 mins 5 secs	3 mins 30 secs	915	Piezo	223	1 hr 15 mins	n/a	250 x 230 x 380	3500	12000	n/a
GS4000	Gemini Extreme	2 mins 10 secs	3 mins 10 secs	300	Manual	240	2 hrs 30 mins	n/a	90 x 100 x 98	3300	11200	n/a
TREKKING STOVES												
GS2116	Apollo Ti	2 mins 20 secs	3 mins 55 secs	199	Manual	180	1 hrs 50 mins	n/a	125 x 110 x 105	2450	8350	n/a
GS2115	Fly/Ti	2 mins 15 secs	3 mins 50 secs	50	Manual	130	2 hrs 15 mins	n/a	59 x 35 x 88	3000	12000	n/a
GS2114	Scion	2 mins	2 mins 50 secs	82	Manual	130	1 hr 40 mins	n/a	59 x 35 x 88	3000	10000	n/a
GS2106	Sirocco	2 mins 25 secs	3 mins 45 secs	242	Piezo	144	2 hrs 25 mins	n/a	110 x 85 x 70	3000	10000	n/a
GS2104	Venture	2 mins 5 secs	3 mins	184	Piezo	156	1 hr 50 mins	n/a	105 x 105 x 80	2500	10000	n/a
BACKPACKING STOVES												
GS2333	Tri Spi	2 mins 50 secs	3 mins 20 secs	235	Piezo	202	1 hr 30 mins	n/a	130 x 160 x 75	2850	9700	n/a
GS2000	Adapt	1 mins 50 secs	2 mins 35 secs	170	Manual	134	2 hrs 20 mins	n/a	100 x 86 x 73	2500	10000	n/a
GS2013	Rapid	1 mins 40 secs	3 mins 10 secs	170	Manual	213	1 hr 10 mins	n/a	123 x 80 x 80	3000	10200	n/a
FAMILY STOVES												
GS2210	Dynasty Compact	n/a	n/a	1800	Piezo	162	1 hr 30 mins	n/a	335 x 290 x 88	2300	7800	n/a
GS2300	Dynasty Trio	n/a	n/a	4750	Piezo	320	n/a	n/a	460 x 310 x 83	1500	5000	n/a
COOKWARE												
GST222	Keramos 3	n/a	n/a	500	n/a	n/a	n/a	n/a	183 x 183 x 90	n/a	n/a	n/a
GST200	Single Dome	n/a	n/a	228	n/a	n/a	n/a	n/a	126 x 126 x 154	n/a	n/a	n/a
GST101	Thermoware 2	n/a	n/a	592	n/a	n/a	n/a	n/a	205 x 90 x 215	n/a	n/a	n/a
GST100	Thermoware 3	n/a	n/a	972	n/a	n/a	n/a	n/a	205 x 90 x 215	n/a	n/a	n/a
GST103	Stainless Steel Mug	n/a	n/a	120	n/a	n/a	n/a	n/a	80 x 92	n/a	n/a	n/a
GST107	Swift Kettle	n/a	n/a	150	n/a	n/a	n/a	n/a	153 x 67	n/a	n/a	n/a
GST104	Folding Stainless Steel Cutlery Set	n/a	n/a	80	n/a	n/a	n/a	n/a	161 unfolded 95 folded	n/a	n/a	n/a
GAS CARTRIDGES & FUEL BOTTLES												
G2125	Powersource 125g Threaded Cartridge	n/a	n/a	226	n/a	n/a	n/a	n/a	90 x 90 x 76	n/a	n/a	n/a
G2250	Powersource 220g Threaded Cartridge	n/a	n/a	338	n/a	n/a	n/a	n/a	103 x 103 x 93	n/a	n/a	n/a
G2500	Powersource 445g Threaded Cartridge	n/a	n/a	590	n/a	n/a	n/a	n/a	103 x 103 x 161	n/a	n/a	n/a
G2190	Pierceable 190g Cartridge	n/a	n/a	264	n/a	n/a	n/a	n/a	90 x 90 x 90	n/a	n/a	n/a
G2220	Bayonet Cartridge 220g	n/a	n/a	330	n/a	n/a	n/a	n/a	68 x 185	n/a	n/a	n/a
GST108	Fuel Bottle 0.6L	n/a	n/a	102	n/a	n/a	n/a	n/a	73 x 73 x 215	n/a	n/a	n/a
GST109	Fuel Bottle 1.0L	n/a	n/a	188	n/a	n/a	n/a	n/a	73 x 73 x 270	n/a	n/a	n/a
LANTERNS												
GS2122	Explorer Lite	n/a	n/a	128	Piezo	20	10 hrs 30 mins	up to 80w	62 x 62 x 105	560	n/a	GSS004 liteglobe 3
GS2120	Trek Lite	n/a	n/a	400	Piezo	32	6 hrs 45 mins	up to 80w	107 x 107 x 155	670	n/a	GSS002 liteglobe 1

1 Boil time based on 1 litre and 0.5ltr of water being heated from 20°C to exactly 100°C in laboratory conditions.

2 Ignition type – Piezo performance is optimised by depressing the piezo at 1 second intervals allowing the piezo to recharge.

3 Continuous burn – Based on the appliance being operated at full rate in laboratory conditions from its recommended cartridge (220gm) until all the gas is exhausted. This figure represents the maximum possible life of a cartridge.

4 Burner diameter – The smaller burner concentrates the flame centrally, the larger burner spreads the flame improving heat distribution on larger pans.



Contact Details

Go Gas Ltd.
Unit 1 B
East Tame Business Park
Newton
Hyde
Cheshire
SK14 4GX

Tel: 0044 (0) 161 367 1315
Fax: 0044 (0) 161 367 1316

Email: info@gogas.co.uk
www.go-system.co.uk